ELSEVIER

www.elsevier.nl/locate/jinorgbio

Journal of Inorganic Biochemistry 78 (2000) 395–396

JOURNAL OF Inorganic Biochemistry

Author Index of Volume 78

Abrahamsson, M., 15
Åkermark, B., 15
Allen, G.W., 55
Antholine, W.E., 243
Aono, S., 63
Appenroth, K.J., 235
Araki, K., 269
Arnold, P., 209

Bennett, B., 43
Berry, S.M., 89
Bienvenue, D.L., 43
Bigi, A., 227
Bischoff, M., 235
Boanini, E., 227
Bragadin, M., 205
Broadwater, J.A., 7
Brzezinska-Blaszczyk, E., 283

Cantinho, G., 303
Carloni, P., 129
Catalani, L.H., 269
Cheng, S., 197
Chikira, M., 243
Chikusa, H., 123
Cole, K.A., 109
Collins, J.G., 313
Coluccia, M., 347
Costello, L.C., 161

Davis, J.J., 251
Dell'Antone, P., 205
Demertzis, M.A., 347
Di Mascio, P., 269
Diop, N.K., 209
Dong, Y., 321

Eklund, H., 83
Erickson, J.A., 371
Evans, C.A., 109

Falini, G., 227
Finke, R.G., 149
Fox, B.G., 7
Franklin, R.B., 161
Fukuzumi, S., 1

Gabryś, H., 235
Gano, L., 303
Garribba, E., 97
Gasowska, A., 139
Ghosh, A., 79
Gibson, D.T., 83
Gomes, C.M., 35
Gonzalez, E., 79
Grazina, R., 303
Griesser, R., 129
Gunn, A., 371

Halvorsen, I., 79
Hambley, T.W., 55
Hammarström, L., 15
Hefter, G.T., 175
Hill, H.A.O., 251
Holz, R.C., 43
Hosokawa, T., 275
Huq, F., 217

Iacopino, D., 355
Itoh, S., 1

Jastrzab, R., 139
Ji, L.-N., 293
Jin, X.-L., 197
Johnson, J.L., 371

Kapinos, L.E., 129
Karaczyn, A., 341
Karlsson, A., 83
Keeling-Tucker, T., 331
Kenéz, P.H., 15
Kennedy, M.C., 161
Keppler, B.K., 341
Kiss, E., 97
Kiss, T., 97
Königsberger, E., 175
Königsberger, L.-C., 175
Kovala-Demertzi, D., 347
Kozlowski, H., 283, 341
Kremer, M.L., 255
Kumei, H., 1
Kurasaki, M., 275
Kuwabara, T., 69, 261
Kyritsis, P., 251

Laundre, B.J., 7
LeGourriérec, D., 15
Li, Q., 167
Li, Y., 167
Ling, E.C.H., 55
Liu, J.-G., 293
Liu, Y., 161
Lodyga-Chruscinska, E., 283
Lomozik, L., 139
Lu, Y., 89

Magnuson, A., 15
Mandon, D., 117
Mårtensson, J., 15
Marton, D., 205
Marusak, R.A., 209
Matsuo, T., 63
May, P.M., 175
Medeiros, M.H.G., 269
Menabue, L., 355
Meyer, J., 251
Meyer-Klaucke, W., 117
Micera, G., 97, 283
Mukhopadhyay, R., 251
Müther, M., 117

Nagane, R., 243
Nakajima, H., 63
Nakajima, K., 383
Nakamatsu, Y., 261
Nakayama, A., 69
Narla, R.K., 321
Neto, A.Q., 303
Noguchi, R., 363
Nomiya, K., 363
Nyarko, E., 383
Nyborg, A.C., 371

Oda, M., 363
Ogra, Y., 123
Ohsawa, K., 363
Okabe, M., 275
Olczak, J., 283
Olejnik, A.K., 283
Oumi, M., 243

Panzavolta, S., 227
Parales, J.V., 83
Parales, R.E., 83
Patrício, L., 303
Perry, C.C., 331
Peter, M.C.R., 217

Ramaswamy, S., 83
Raymond, M.K., 15
Roveri, N., 227

Saha, A., 129
Saha, N., 129
Saito, T., 275
Saito, S., 275
Sakurai, H., 97, 185
Saladini, M., 355
Sanna, D., 283
Santos, M.A., 303
Scutari, G., 205
Shang, M., 209
Shindo, H., 243
Sigel, H., 129
Silva, C.A., 269
Sirovatka, J.M., 149
Stenhagen, G., 15
Stoeckel, J., 235
Styring, S., 15
Sudbeck, E., 321
Sun, L., 15
Suzuki, K.T., 123
Swartz, H.M., 235
Symons, M.C.R., 299

Tabata, M., 383
Taira, K., 69, 261
Takechi, K., 185
Taki, M., 1
Tamm, M., 15
Tanaka, Y., 261
Tang, H., 167
Tawara, T., 63
Teixeira, M., 35
Tian, W., 197
Toma, H.E., 269
Trautwein, A.X., 117
Truscott, S.M., 371
Trynda-Lemiesz, L., 341
Tsuda, K., 363

Uckun, F.M., 321

Vickery, K., 55
Vitellaro, L.K., 209

Elsevier Science Inc.

Walczak, T., 235
Wang, L., 293
Wang, L.-F., 167
Wang, M., 167
Wang, X., 89
Warashina, M., 69, 261
Watt, G.D., 371
Weiss, R., 117
Weng, S.-F., 197
Wheate, N.J., 313
Winkler, H., 117
Winnefeld, K., 235
Wittung-Stafshede, P., 35
Wolter, T., 117
Wondimagegn, T., 79
Wright, D.W., 109
Wu, J.-G., 197
Xia, C.-G., 167
Yadav, P.N., 347
Yamanoshita, O., 275
Yang, L.-M., 197
Yasui, H., 185
Ye, B.-H., 293
Yoshinari, K., 261
Yoshizawa, K., 23
Zabrocki, J., 283
Zhang, Q.-L., 293
Zhen, Q.-X., 293
Zhou, J.-M., 261
Ziegler, J., 109

ELSEVIER

www.elsevier.nl/locate/jinorgbio

Journal of Inorganic Biochemistry 78 (2000) 397–402

JOURNAL OF Inorganic Biochemistry

Subject Index of Volume 78

Adenosine 5′-monophosphate
mixed-ligand complexes of copper(II) ions with AMP and CMP in the systems with polyamines and non-covalent interaction between bioligands, 139
Adenosylcobalamin
hydrogen abstraction from thiols by adenosyl radicals: chemical precedent for thiyl radical formation, the first catalytic step in ribonucleoside triphosphate reductase from *Lactobacillus leichmannii*, 149
Adenosyl radicals
hydrogen abstraction from thiols by adenosyl radicals: chemical precedent for thiyl radical formation, the first catalytic step in ribonucleoside triphosphate reductase from *Lactobacillus leichmannii*, 149
ADR-925
iron complexes of the cardioprotective agent dexrazoxane (ICRF-187) and its desmethyl derivative, ICRF-154: solid state structure, solution thermodynamics, and DNA cleavage activity, 209
Alkaline hydrolysis
chemical and enzymatic probing of effector-mediated changes in the conformation of a maxizyme, 261
All-ferrous Fe protein
reactions of *Azotobacter vinelandii* nitrogenase using Ti(III) as reductant, 371
Aluminium-rich scale
model studies of the precipitation of silica in the presence of aluminium; implications for biology and industry, 331
Alzheimer's disease
model studies of the precipitation of silica in the presence of aluminium; implications for biology and industry, 331
Amino acid
metal(II) binding ability of a novel N-protected amino acid. A solution-state investigation on binary and ternary complexes with 2,2′-bipyridine, 355
Aminopeptidases
inhibition of the aminopeptidase from *Aeromonas proteolytica* by *l*-leucinethiol: kinetic and spectroscopic characterization of a slow, tight-binding inhibitor–enzyme complex, 43
Anticancer activity
synthesis, X-ray structure, and anti-leukemic activity of oxovanadium(IV) complexes, 321
Antimicrobial activities
synthesis, crystal structure and antimicrobial activities of two isomeric gold(I) complexes with nitrogen-containing heterocycle and triphenylphosphine ligands, [Au(L)(PPh_3)] (HL = pyrazole and imidazole), 363
Archaea
stability and folding of the ferredoxin from the hyperthermophilic archaeon *Acidianus ambivalens*, 35
Artificial photosynthesis
towards an artificial model for Photosystem II: a manganese(II,II) dimer covalently linked to ruthenium(II) tris-bipyridine via a tyrosine derivative, 15
ATP/2e
reactions of *Azotobacter vinelandii* nitrogenase using Ti(III) as reductant, 371
ATP7B
histochemical characterization of silver-induced metallothionein in rat kidney, 275
Azotobacter vinelandii nitrogenase
reactions of *Azotobacter vinelandii* nitrogenase using Ti(III) as reductant, 371
Azurin
ligand replacement study at the His120 site of purple Cu_A azurin, 89

BCM-ESR
metallokinetic analysis of disposition of vanadyl complexes as insulin-mimetics in rats using BCM-ESR method, 185
Bilirubin binding
studies on the interactions between human serum albumin and *trans*-indazolium (bisindazole) tetrachlororuthenate(III), 341
Binding ability
metal(II) binding ability of a novel N-protected amino acid. A solution-state investigation on binary and ternary complexes with 2,2′-bipyridine, 355
Bioligands
mixed-ligand complexes of copper(II) ions with AMP and CMP in the systems with polyamines and non-covalent interaction between bioligands, 139
2,2′-Bipyridine complexes
metal(II) binding ability of a novel N-protected amino acid. A solution-state investigation on binary and ternary complexes with 2,2′-bipyridine, 355
Blood disposition
metallokinetic analysis of disposition of vanadyl complexes as insulin-mimetics in rats using BCM-ESR method, 185
Blood plasma
complexation of iron(III) and iron(II) by citrate. Implications for iron speciation in blood plasma, 175
Blood serum bioligands
ternary complex formation between VO(IV)–picolinic acid or VO(IV)–6-methylpicolinic acid and small blood serum bioligands, 97
Bone–gallium fixation
synthesis, chelating properties towards gallium and biological evaluation of two *N*-substituted 3-hydroxy-4-pyridinones, 303

Carcinogenic
interaction between $NiCl_2$, and nucleobases, nucleosides and nucleotides, 217
β-Casomorphin-7-amide tetrazole analogues
can the 1,5-disubstituted tetrazole ring modify the co-ordinating ability and biological activity of opiate-like peptides?, 283
Catalysis
desaturation of *trans*-octadecenoyl-acyl carrier protein by stearoyl-acyl carrier protein Δ^9 desaturase, 7

Elsevier Science Inc.

Catalytic effect
metalloporphyrin mediated DNA cleavage by a low concentration of HaeIII restriction enzyme, 383
Chelate formation
evaluation of intramolecular equilibria in complexes formed between substituted imidazole ligands and nickel(II), copper(II) or zinc(II), 129
Chelating agent
synthesis, chelating properties towards gallium and biological evaluation of two *N*-substituted 3-hydroxy-4-pyridinones, 303
Chemical probing
chemical and enzymatic probing of effector-mediated changes in the conformation of a maxizyme, 261
Chromium(V)
kinetics of chromium(V) formation and reduction in fronds of the duckweed *Spirodela polyrhiza* — a low frequency EPR study, 235
Chronic myelogenous leukemia
chemical and enzymatic probing of effector-mediated changes in the conformation of a maxizyme, 261
Circular dichroism
studies on the interactions between human serum albumin and *trans*-indazolium (bisindazole) tetrachlororuthenate(III), 341
Citrate
zinc causes a shift toward citrate at equilibrium of the m-aconitase reaction of prostate mitochondria, 161
complexation of iron(III) and iron(II) by citrate. Implications for iron speciation in blood plasma, 175
Cobalt
inhibition of the aminopeptidase from *Aeromonas proteolytica* by L-leucinethiol: kinetic and spectroscopic characterization of a slow, tight-binding inhibitor–enzyme complex, 43
Coenzyme B_{12}
hydrogen abstraction from thiols by adenosyl radicals: chemical precedent for thiyl radical formation, the first catalytic step in ribonucleoside triphosphate reductase from *Lactobacillus leichmannii*, 149
Computer simulations
complexation of iron(III) and iron(II) by citrate. Implications for iron speciation in blood plasma, 175
Concerted mechanism
two-step concerted mechanism for methane hydroxylation on the di-iron active site of soluble methane monooxygenase, 23
Conformation
cis- and *trans*-Conformations for peroxynitrite anions, 299
CooA
control of CooA activity by the mutation at the C-terminal end of the heme-binding domain, 63
Coordination chemistry
generation of oxoiron(IV) tetramesitylporphyrin π-cation radical complexes by *m*-CPBA oxidation of ferric tetramesitylporphyrin derivatives in butyronitrile at −78 °C. Evidence for the formation of six-coordinate oxoiron(IV) tetramesitylporphyrin π-cation radical complexes $Fe^{IV}=O(tmp^{\bullet})X$ ($X=Cl^-$ Br^-), by Mössbauer and X-ray absorption spectroscopy, 117
Copper
metabolic fate of the insoluble copper/tetrathiomolybdate complex formed in the liver of LEC rats with excess tetrathiomolybdate, 123
how amino acids control the binding of Cu(II) ions to DNA. Part III. A novel interaction of a histidine complex with DNA, 243
histochemical characterization of silver-induced metallothionein in rat kidney, 275
Copper(II) complexes
hydrogen atom abstraction by Cu(II)- and Zn(II)-phenoxyl radical complexes, models for the active form of galactose oxidase, 1
mixed-ligand complexes of copper(II) ions with AMP and CMP in the systems with polyamines and non-covalent interaction between bioligands, 139
can the 1,5-disubstituted tetrazole ring modify the co-ordinating ability and biological activity of opiate-like peptides?, 283
CO sensor
control of CooA activity by the mutation at the C-terminal end of the heme-binding domain, 63
Crystal structure
the preparation, characterisation, and DNA adduct profile of 2-amino-2-methyl-3-butanoneoximedichloroplatinum(II), a platinum(II) complex designed to bind to GpA sequences of DNA, 55
sugar interaction with metal ions. Crystal structure and FT-IR spectroscopic study of strontium galactarate mono-hydrate, 197
synthesis, X-ray structure, and anti-leukemic activity of oxovanadium(IV) complexes, 321
synthesis, crystal structure, spectral properties and cytotoxic activity of platinum(II) complexes of 2-acetyl pyridine and pyridine-2-carbaldehyde N(4)-ethyl-thiosemicarbazones, 347
Cu_A
ligand replacement study at the His120 site of purple Cu_A azurin, 89
Cytidine 5′-monophosphate
mixed-ligand complexes of copper(II) ions with AMP and CMP in the systems with polyamines and non-covalent interaction between bioligands, 139
Cytochrome *c* oxidase
ligand replacement study at the His120 site of purple Cu_A azurin, 89
Cytotoxic activity
synthesis, crystal structure, spectral properties and cytotoxic activity of platinum(II) complexes of 2-acetyl pyridine and pyridine-2-carbaldehyde N(4)-ethyl-thiosemicarbazones, 347

Desaturation
desaturation of *trans*-octadecenoyl-acyl carrier protein by stearoyl-acyl carrier protein Δ^9 desaturase, 7
Dexrazoxane
iron complexes of the cardioprotective agent dexrazoxane (ICRF-187) and its desmethyl derivative, ICRF-154: solid state structure, solution thermodynamics, and DNA cleavage activity, 209
Diiron
desaturation of *trans*-octadecenoyl-acyl carrier protein by stearoyl-acyl carrier protein Δ^9 desaturase, 7
Dinuclear platinum(II) complexes
a ^1H NMR study of the oligonucleotide binding of $[(en)Pt(\mu\text{-}dpzm)_2Pt(en)]Cl_4$, 313
DNA
interaction between $NiCl_2$, and nucleobases, nucleosides and nucleotides, 217
zinc tetraruthenated porphyrin binding and photoinduced oxidation of calf-thymus DNA, 269
DNA binding
the preparation, characterisation, and DNA adduct profile of 2-amino-2-methyl-3-butanoneoximedichloroplatinum(II), a platinum(II) complex designed to bind to GpA sequences of DNA, 55
synthesis, characterization and DNA binding of ruthenim(II) complexes containing the atatp ligand, 293
DNA cleavage
iron complexes of the cardioprotective agent dexrazoxane (ICRF-187) and its desmethyl derivative, ICRF-154: solid state structure, solution thermodynamics, and DNA cleavage activity, 209
metalloporphyrin mediated DNA cleavage by a low concentration of HaeIII restriction enzyme, 383
DNA fiber
how amino acids control the binding of Cu(II) ions to DNA. Part III. A novel interaction of a histidine complex with DNA, 243
Duckweed *Spirodela polyrhiza*
kinetics of chromium(V) formation and reduction in fronds of the duckweed *Spirodela polyrhiza* — a low frequency EPR study, 235

Electronic absorption
inhibition of the aminopeptidase from *Aeromonas proteolytica* by L-leucinethiol: kinetic and spectroscopic characterization of a slow, tight-binding inhibitor–enzyme complex, 43
Electron transfer
towards an artificial model for Photosystem II: a manganese(II,II) dimer covalently linked to ruthenium(II) tris-bipyridine via a tyrosine derivative, 15
Enzyme
desaturation of *trans*-octadecenoyl-acyl carrier protein by stearoyl-acyl carrier protein Δ^9 desaturase, 7
EPR
inhibition of the aminopeptidase from *Aeromonas proteolytica* by L-leucinethiol: kinetic and spectroscopic characterization of a slow, tight-binding inhibitor–enzyme complex, 43
generation of oxoiron(IV) tetramesitylporphyrin π-cation radical complexes by *m*-CPBA oxidation of ferric tetramesitylporphyrin derivatives in butyronitrile at −78 °C. Evidence for the formation of six-coordinate oxoiron(IV) tetramesitylporphyrin π-cation radical complexes $Fe^{IV}=O(tmp^{\bullet})X$ ($X=Cl^-$ Br^-), by Mössbauer and X-ray absorption spectroscopy, 117
ligand replacement study at the His120 site of purple Cu_A azurin, 89
how amino acids control the binding of Cu(II) ions to DNA. Part III. A novel interaction of a histidine complex with DNA, 243
EPR study
kinetics of chromium(V) formation and reduction in fronds of the duckweed *Spirodela polyrhiza* — a low frequency EPR study, 235
Equilibrium analysis
evaluation of intramolecular equilibria in complexes formed between substituted imidazole ligands and nickel(II), copper(II) or zinc(II), 129
Ethanol
is $^{\bullet}OH$ the active Fenton intermediate in the oxidation of ethanol?, 255
EXAFS spectroscopy
generation of oxoiron(IV) tetramesitylporphyrin π-cation radical complexes by *m*-CPBA oxidation of ferric tetramesitylporphyrin derivatives in butyronitrile at −78 °C. Evidence for the formation of six-coordinate oxoiron(IV) tetramesitylporphyrin π-cation radical complexes $Fe^{IV}=O(tmp^{\bullet})X$ ($X=Cl^-$ Br^-), by Mössbauer and X-ray absorption spectroscopy, 117

Facilitators
effects of cetyltrimethylammonium bromide on reactions catalyzed by maxizymes, a novel class of metalloenzymes, 69
Fe(II)
complexation of iron(III) and iron(II) by citrate. Implications for iron speciation in blood plasma, 175
Fe(III)
complexation of iron(III) and iron(II) by citrate. Implications for iron speciation in blood plasma, 175
Fenton intermediate
is $^{\bullet}OH$ the active Fenton intermediate in the oxidation of ethanol?, 255
Ferredoxin
stability and folding of the ferredoxin from the hyperthermophilic archaeon *Acidianus ambivalens*, 35
Fluorescence quenching
studies on the interactions between human serum albumin and *trans*-indazolium (bisindazole) tetrachlororuthenate(III), 341
Formation constants
complexation of iron(III) and iron(II) by citrate. Implications for iron speciation in blood plasma, 175
Fouling
model studies of the precipitation of silica in the presence of aluminium; implications for biology and industry, 331
FT-IR spectroscopy
sugar interaction with metal ions. Crystal structure and FT-IR spectroscopic study of strontium galactarate mono-hydrate, 197

Galactose oxidase model
hydrogen atom abstraction by Cu(II)- and Zn(II)-phenoxyl radical complexes, models for the active form of galactose oxidase, 1
Gallium-67
synthesis, chelating properties towards gallium and biological evaluation of two *N*-substituted 3-hydroxy-4-pyridinones, 303
Gallium complexes
synthesis, chelating properties towards gallium and biological evaluation of two *N*-substituted 3-hydroxy-4-pyridinones, 303
Gold (111)
a scanning tunnelling microscopy study of *Clostridium pasteurianum* rubredoxin, 251
Gold(I) complexes
synthesis, crystal structure and antimicrobial activities of two isomeric gold(I) complexes with nitrogen-containing heterocycle and triphenylphosphine ligands, $[Au(L)(PPh_3)]$ (HL = pyrazole and imidazole), 363

HaeIII
metalloporphyrin mediated DNA cleavage by a low concentration of HaeIII restriction enzyme, 383
Hammerhead ribozymes
effects of cetyltrimethylammonium bromide on reactions catalyzed by maxizymes, a novel class of metalloenzymes, 69
β-Hematin
metalloporphyrins inhibit β-hematin (hemozoin) formation, 109
Heme
studies on the interactions between human serum albumin and *trans*-indazolium (bisindazole) tetrachlororuthenate(III), 341
Heme protein
control of CooA activity by the mutation at the C-terminal end of the heme-binding domain, 63
Hemozoin
metalloporphyrins inhibit β-hematin (hemozoin) formation, 109
Heterocyclic ligands
synthesis, crystal structure and antimicrobial activities of two isomeric gold(I) complexes with nitrogen-containing heterocycle and triphenylphosphine ligands, $[Au(L)(PPh_3)]$ (HL = pyrazole and imidazole), 363
High valence
valence tautomerism and macrocycle ruffling in nickel(III) porphyrins, 79
Histidine
how amino acids control the binding of Cu(II) ions to DNA. Part III. A novel interaction of a histidine complex with DNA, 243
Human serum albumin
studies on the interactions between human serum albumin and *trans*-indazolium (bisindazole) tetrachlororuthenate(III), 341
Hydrogen abstraction
hydrogen abstraction from thiols by adenosyl radicals: chemical precedent for thiyl radical formation, the first catalytic step in ribonucleoside triphosphate reductase from *Lactobacillus leichmannii*, 149
Hydrogen atom abstraction
hydrogen atom abstraction by Cu(II)- and Zn(II)-phenoxyl radical complexes, models for the active form of galactose oxidase, 1
Hydrogen bond
sugar interaction with metal ions. Crystal structure and FT-IR spectroscopic study of strontium galactarate mono-hydrate, 197
Hydrolysis
effect of sodium polyacrylate on the hydrolysis of octacalcium phosphate, 227

3-Hydroxy-2-methyl-4-pyridinone
synthesis, chelating properties towards gallium and biological evaluation of two *N*-substituted 3-hydroxy-4-pyridinones, 303
Hydroxyapatite
effect of sodium polyacrylate on the hydrolysis of octacalcium phosphate, 227

ICRF-154
iron complexes of the cardioprotective agent dexrazoxane (ICRF-187) and its desmethyl derivative, ICRF-154: solid state structure, solution thermodynamics, and DNA cleavage activity, 209
Imidazole derivatives
evaluation of intramolecular equilibria in complexes formed between substituted imidazole ligands and nickel(II), copper(II) or zinc(II), 129
Immobilisation
a scanning tunnelling microscopy study of *Clostridium pasteurianum* rubredoxin, 251
Inductively coupled argon plasma-mass spectrometry
metabolic fate of the insoluble copper/tetrathiomolybdate complex formed in the liver of LEC rats with excess tetrathiomolybdate, 123
Insulin-mimetic
metallokinetic analysis of disposition of vanadyl complexes as insulin-mimetics in rats using BCM-ESR method, 185
Interaction
interaction between $NiCl_2$, and nucleobases, nucleosides and nucleotides, 217
π-Interactions
metalloporphyrins inhibit β-hematin (hemozoin) formation, 109
Intercalation
synthesis, characterization and DNA binding of ruthenim(II) complexes containing the atatp ligand, 293
Iron–oxo species
two-step concerted mechanism for methane hydroxylation on the di-iron active site of soluble methane monooxygenase, 23
Iron chelates
iron complexes of the cardioprotective agent dexrazoxane (ICRF-187) and its desmethyl derivative, ICRF-154: solid state structure, solution thermodynamics, and DNA cleavage activity, 209
Iron physiology
complexation of iron(III) and iron(II) by citrate. Implications for iron speciation in blood plasma, 175

Kidney
histochemical characterization of silver-induced metallothionein in rat kidney, 275
Kinetics
inhibition of the aminopeptidase from *Aeromonas proteolytica* by L-leucinethiol: kinetic and spectroscopic characterization of a slow, tight-binding inhibitor–enzyme complex, 43
effects of cetyltrimethylammonium bromide on reactions catalyzed by maxizymes, a novel class of metalloenzymes, 69

LEC rat
metabolic fate of the insoluble copper/tetrathiomolybdate complex formed in the liver of LEC rats with excess tetrathiomolybdate, 123
Ligand substitution
ligand replacement study at the His120 site of purple Cu_A azurin, 89
Lysosomes
the interactions of trialkyltin compounds with lysosomes from rat liver, 205

Malaria
metalloporphyrins inhibit β-hematin (hemozoin) formation, 109
Manganese dimer complexes
towards an artificial model for Photosystem II: a manganese(II,II) dimer covalently linked to ruthenium(II) tris-bipyridine via a tyrosine derivative, 15
Mast cells
can the 1,5-disubstituted tetrazole ring modify the co-ordinating ability and biological activity of opiate-like peptides?, 283
Maxizymes
effects of cetyltrimethylammonium bromide on reactions catalyzed by maxizymes, a novel class of metalloenzymes, 69
chemical and enzymatic probing of effector-mediated changes in the conformation of a maxizyme, 261
Mechanism
desaturation of *trans*-octadecenoyl-acyl carrier protein by stearoyl-acyl carrier protein Δ^9 desaturase, 7
Metal ion complexes
evaluation of intramolecular equilibria in complexes formed between substituted imidazole ligands and nickel(II), copper(II) or zinc(II), 129
Metalloenzymes
effects of cetyltrimethylammonium bromide on reactions catalyzed by maxizymes, a novel class of metalloenzymes, 69
Metalloporphyrins
metalloporphyrins inhibit β-hematin (hemozoin) formation, 109
metalloporphyrin mediated DNA cleavage by a low concentration of HaeIII restriction enzyme, 383
Metallothionein
histochemical characterization of silver-induced metallothionein in rat kidney, 275
Methane hydroxylation
two-step concerted mechanism for methane hydroxylation on the di-iron active site of soluble methane monooxygenase, 23
Methane monooxygenase
two-step concerted mechanism for methane hydroxylation on the di-iron active site of soluble methane monooxygenase, 23
Methanol formation
two-step concerted mechanism for methane hydroxylation on the di-iron active site of soluble methane monooxygenase, 23
Mitochondrial aconitase
zinc causes a shift toward citrate at equilibrium of the m-aconitase reaction of prostate mitochondria, 161
Mössbauer spectroscopy
generation of oxoiron(IV) tetramesitylporphyrin π-cation radical complexes by *m*-CPBA oxidation of ferric tetramesitylporphyrin derivatives in butyronitrile at −78 °C. Evidence for the formation of six-coordinate oxoiron(IV) tetramesitylporphyrin π-cation radical complexes $Fe^{IV}=O(tmp^{\bullet})X$ ($X=Cl^-$ Br^-), by Mössbauer and X-ray absorption spectroscopy, 117
Mutagenesis
ligand replacement study at the His120 site of purple Cu_A azurin, 89

Nickel
valence tautomerism and macrocycle ruffling in nickel(III) porphyrins, 79
interaction between $NiCl_2$, and nucleobases, nucleosides and nucleotides, 217
Nitrous oxide reductase
ligand replacement study at the His120 site of purple Cu_A azurin, 89
NMR spectroscopy
a ^1H NMR study of the oligonucleotide binding of $[(en)Pt(\mu\text{-}dpzm)_2Pt(en)]Cl_4$, 313
Nucleobases
interaction between $NiCl_2$, and nucleobases, nucleosides and nucleotides, 217
Nucleotide
how amino acids control the binding of Cu(II) ions to DNA. Part III. A novel interaction of a histidine complex with DNA, 243

Octacalcium phosphate
effect of sodium polyacrylate on the hydrolysis of octacalcium phosphate, 227
Oligonucleotides
a ^{1}H NMR study of the oligonucleotide binding of [(en)Pt(μ-dpzm)$_2$Pt(en)]Cl$_4$, 313
Oxidation
is $^{\bullet}$OH the active Fenton intermediate in the oxidation of ethanol?, 255
Oxoiron(IV) porphyrin π-cation radicals
generation of oxoiron(IV) tetramesitylporphyrin π-cation radical complexes by *m*-CPBA oxidation of ferric tetramesitylporphyrin derivatives in butyronitrile at −78 °C. Evidence for the formation of six-coordinate oxoiron(IV) tetramesitylporphyrin π-cation radical complexes $Fe^{IV}=O(tmp^{\bullet})X$ (X=Cl$^-$ Br$^-$), by Mössbauer and X-ray absorption spectroscopy, 117
Oxovanadium(IV) complexes
synthesis, X-ray structure, and anti-leukemic activity of oxovanadium(IV) complexes, 321

PDT sensitizer
zinc tetraruthenated porphyrin binding and photoinduced oxidation of calf-thymus DNA, 269
Peptide hydrolysis
inhibition of the aminopeptidase from *Aeromonas proteolytica* by L-leucinethiol: kinetic and spectroscopic characterization of a slow, tight-binding inhibitor–enzyme complex, 43
Peptide-thiolates
inhibition of the aminopeptidase from *Aeromonas proteolytica* by L-leucinethiol: kinetic and spectroscopic characterization of a slow, tight-binding inhibitor–enzyme complex, 43
Peroxynitrite anions
cis- and *trans*-Conformations for peroxynitrite anions, 299
pH–rate profiles
effects of cetyltrimethylammonium bromide on reactions catalyzed by maxizymes, a novel class of metalloenzymes, 69
Pharmacokinetics
metallokinetic analysis of disposition of vanadyl complexes as insulin-mimetics in rats using BCM-ESR method, 185
Phenoxyl radical
hydrogen atom abstraction by Cu(II)- and Zn(II)-phenoxyl radical complexes, models for the active form of galactose oxidase, 1
Photooxidation
zinc tetraruthenated porphyrin binding and photoinduced oxidation of calf-thymus DNA, 269
Photosystem II
towards an artificial model for Photosystem II: a manganese(II,II) dimer covalently linked to ruthenium(II) tris-bipyridine via a tyrosine derivative, 15
Picolinic acid
ternary complex formation between VO(IV)–picolinic acid or VO(IV)–6-methylpicolinic acid and small blood serum bioligands, 97
Plasmid DNA
metalloporphyrin mediated DNA cleavage by a low concentration of HaeIII restriction enzyme, 383
Platinum complexes
the preparation, characterisation, and DNA adduct profile of 2-amino-2-methyl-3-butanoneoximedichloroplatinum(II), a platinum(II) complex designed to bind to GpA sequences of DNA, 55
Platinum(II) complexes
synthesis, crystal structure, spectral properties and cytotoxic activity of platinum(II) complexes of 2-acetyl pyridine and pyridine-2-carbaldehyde N(4)-ethyl-thiosemicarbazones, 347
Polyamines
mixed-ligand complexes of copper(II) ions with AMP and CMP in the systems with polyamines and non-covalent interaction between bioligands, 139
Polypyridyl ruthenium(II)
synthesis, characterization and DNA binding of ruthenim(II) complexes containing the atatp ligand, 293
Porphyrins
valence tautomerism and macrocycle ruffling in nickel(III) porphyrins, 79
Potentiometric study
metal(II) binding ability of a novel N-protected amino acid. A solution-state investigation on binary and ternary complexes with 2,2′-bipyridine, 355
Prostate cells
zinc causes a shift toward citrate at equilibrium of the m-aconitase reaction of prostate mitochondria, 161
Protein folding
stability and folding of the ferredoxin from the hyperthermophilic archaeon *Acidianus ambivalens*, 35

Reactive oxygen species
synthesis, X-ray structure, and anti-leukemic activity of oxovanadium(IV) complexes, 321
Redox potential
reactions of *Azotobacter vinelandii* nitrogenase using Ti(III) as reductant, 371
Ribonucleoside triphosphate reductase
hydrogen abstraction from thiols by adenosyl radicals: chemical precedent for thiyl radical formation, the first catalytic step in ribonucleoside triphosphate reductase from *Lactobacillus leichmannii*, 149
RNase T1
chemical and enzymatic probing of effector-mediated changes in the conformation of a maxizyme, 261
Rubredoxin
a scanning tunnelling microscopy study of *Clostridium pasteurianum* rubredoxin, 251
Ruffling
valence tautomerism and macrocycle ruffling in nickel(III) porphyrins, 79
Ruthenium complexes
towards an artificial model for Photosystem II: a manganese(II,II) dimer covalently linked to ruthenium(II) tris-bipyridine via a tyrosine derivative, 15
Ruthenium(III)
studies on the interactions between human serum albumin and *trans*-indazolium (bisindazole) tetrachlororuthenate(III), 341

Scanning tunnelling microscopy
a scanning tunnelling microscopy study of *Clostridium pasteurianum* rubredoxin, 251
Schiff bases
synthesis, characterization, and antibacterial activity of novel Mn(II), Co(II), Ni(II), Cu(II), and Zn(II) complexes with vitamin K$_3$-thiosemicarbazone, 167
Silica
model studies of the precipitation of silica in the presence of aluminium; implications for biology and industry, 331
Silver
histochemical characterization of silver-induced metallothionein in rat kidney, 275
Sodium polyacrylate
effect of sodium polyacrylate on the hydrolysis of octacalcium phosphate, 227
Solution structures
evaluation of intramolecular equilibria in complexes formed between substituted imidazole ligands and nickel(II), copper(II) or zinc(II), 129

Spectroscopic studies
synthesis, crystal structure, spectral properties and cytotoxic activity of platinum(II) complexes of 2-acetyl pyridine and pyridine-2-carbaldehyde N(4)-ethyl-thiosemicarbazones, 347
Spectroscopy
stability and folding of the ferredoxin from the hyperthermophilic archaeon *Acidianus ambivalens*, 35
Stability constants
metal(II) binding ability of a novel N-protected amino acid. A solution-state investigation on binary and ternary complexes with 2,2′-bipyridine, 355
Strand displacement
effects of cetyltrimethylammonium bromide on reactions catalyzed by maxizymes, a novel class of metalloenzymes, 69
Strontium galactarate mono-hydrate
sugar interaction with metal ions. Crystal structure and FT-IR spectroscopic study of strontium galactarate mono-hydrate, 197

TEM
effect of sodium polyacrylate on the hydrolysis of octacalcium phosphate, 227
Tetraruthenated porphyrin
zinc tetraruthenated porphyrin binding and photoinduced oxidation of calf-thymus DNA, 269
Tetrathiomolybdate
metabolic fate of the insoluble copper/tetrathiomolybdate complex formed in the liver of LEC rats with excess tetrathiomolybdate, 123
Thermostability
stability and folding of the ferredoxin from the hyperthermophilic archaeon *Acidianus ambivalens*, 35
Thiols
hydrogen abstraction from thiols by adenosyl radicals: chemical precedent for thiyl radical formation, the first catalytic step in ribonucleoside triphosphate reductase from *Lactobacillus leichmannii*, 149
Thiosemicarbazonato complexes
synthesis, crystal structure, spectral properties and cytotoxic activity of platinum(II) complexes of 2-acetyl pyridine and pyridine-2-carbaldehyde N(4)-ethyl-thiosemicarbazones, 347
Ti(III)
reactions of *Azotobacter vinelandii* nitrogenase using Ti(III) as reductant, 371
Transcriptional activator
control of CooA activity by the mutation at the C-terminal end of the heme-binding domain, 63
Trialkyltin
the interactions of trialkyltin compounds with lysosomes from rat liver, 205
Triphenylphosphine
synthesis, crystal structure and antimicrobial activities of two isomeric gold(I) complexes with nitrogen-containing heterocycle and triphenylphosphine ligands, [Au(L)(PPh_3)] (HL = pyrazole and imidazole), 363

Uncoupling
the interactions of trialkyltin compounds with lysosomes from rat liver, 205
UV-difference spectrophotometry
interaction between $NiCl_2$, and nucleobases, nucleosides and nucleotides, 217

Valence tautomerism
valence tautomerism and macrocycle ruffling in nickel(III) porphyrins, 79
Vanadium complexes
ternary complex formation between VO(IV)–picolinic acid or VO(IV)–6-methylpicolinic acid and small blood serum bioligands, 97
Vanadyl complex
metallokinetic analysis of disposition of vanadyl complexes as insulin-mimetics in rats using BCM-ESR method, 185
Vitamin K_3-thiosemicarbazone
synthesis, characterization, and antibacterial activity of novel Mn(II), Co(II), Ni(II), Cu(II), and Zn(II) complexes with vitamin K_3-thiosemicarbazone, 167

Wilson disease
metabolic fate of the insoluble copper/tetrathiomolybdate complex formed in the liver of LEC rats with excess tetrathiomolybdate, 123

X-ray crystal structures
synthesis, crystal structure and antimicrobial activities of two isomeric gold(I) complexes with nitrogen-containing heterocycle and triphenylphosphine ligands, [Au(L)(PPh_3)] (HL = pyrazole and imidazole), 363

Zinc
inhibition of the aminopeptidase from *Aeromonas proteolytica* by L-leucinethiol: kinetic and spectroscopic characterization of a slow, tight-binding inhibitor–enzyme complex, 43
zinc causes a shift toward citrate at equilibrium of the m-aconitase reaction of prostate mitochondria, 161
Zinc(II) complexes
hydrogen atom abstraction by Cu(II)- and Zn(II)-phenoxyl radical complexes, models for the active form of galactose oxidase, 1